



Handbook of COVID-19 Prevention and Treatment



Appel suspicion COVID (si on est en 1^{ère} ligne)

Lorsqu'on reçoit un appel sur le DECT de l'interne pour une suspicion de COVID-19 chez des patients ayant une maladie chronique (HTAP, CMD, TC...) ou une cardiopathie congénitale réparée, la règle est de faire **appeler le SAMU** en spécifiant le suivi à NEM.

Actuellement, le SAMU envoie une équipe en combinaison spécifique, si et seulement si il y a une détresse respiratoire ou vitale.

Dans ce cas, l'enfant est transféré à NEM où il est évalué selon le circuit ci-contre puis il est hospitalisé en Réa, en USC, en PG ou il retourne à domicile.

Pas d'hospitalisation en cardio!!!


Seuls les enfants hospitalisés sont testés (info du 19/03/20).


Nous irons le voir en étant **protégé (c'est primordial)**, si l'expertise cardiologique est nécessaire (voir technique habillage-déshabillage jointes) et utiliser un VIVID dédié et non pas la nouvelle machine (**nettoyage spécifique au retour**)

Info rédigée le 20/03/20

FICHE 2 : Stratégie de prise en charge d'un patient suspect ou « cas possible » d'infection à SARS-CoV-2 (COVID-19)


2.1. Un enfant fait l'objet d'un appel au SAMU 75





Protocol for Donning PPE:

Put on special work clothes and work shoes → Wash hands → Put on disposable surgical cap → Put on medical protective mask (N95) → Put on inner disposable nitrile/latex gloves → Put on goggles and protective clothing (note: if wearing protective clothing without foot covers, please also put on separate waterproof boot covers), put on a disposable isolation gown (if required in the specific work zone) and face shield/powered air-purifying respirator(if required in the specific work zone) → Put on outer disposable latex gloves



Protocol for Removing PPE:

Wash hands and remove visible bodily fluids/blood contaminants on the outer surfaces of both hands → Wash hands replace outer gloves with new gloves → Remove powered air-purifying respirator or self-priming filter-type full-face mask/mask (if used) → Wash hands → Remove disposable gowns along with outer gloves (if used) → Wash hands and put on outer gloves → Enter Removal Area No. ① → Wash hands and remove protective clothing along with outer gloves (for gloves and protective clothing, turn inside out, while rolling them down) (note: if used, remove the waterproof boot covers with clothing) → Wash hands → Enter Removal Area No. ② → Wash hands and remove goggles → Wash hands and remove mask → Wash hands and remove cap → Wash hands and remove inner disposable latex gloves → Wash hands and leave Removal Area No. ② → Wash hands, take a shower, put on clean clothes and enter the clean area