

# PASSPORT®



## Vertical Platform Lift

The PASSPORT® Vertical Platform Lift provides safe home access for individuals with limited mobility. Used most commonly for difficult entrances such as tight pathways and high porches that may not offer enough space for a ramp, the PASSPORT is the perfect solution to eliminate barriers and will get you to your next destination.

Features durable aluminum construction for indoor and outdoor use and is the lightest residential Vertical Platform Lift on the market. Providing a quiet, smooth ride, this Vertical Platform Lift is easy to operate and is a trusty device that allows for ease of access for years to come.




 **ALLmobility**  
MOBILITY EQUIPMENT SOLUTIONS  
937-396-4838





# THE PASSPORT WILL GET YOU WHERE YOU NEED TO GO



## QUICK SPECS

- 44", 52", 72", 120", 144", and 168" lifting heights available with straight or turn platform
- Lightest residential Vertical Platform Lift on the market due to its all-aluminum structure
- 750 lb. weight capacity
- 10 FPM (feet per minute) maximum speed
- ETL certified - Independently tested and approved for product safety (US for all sizes; C for 72" & under)
- Performance standards:
  - » (72" & under) B44.1/ASME A17.5, ASME 18.1-2017 (Sec 5); CSA stds B44.1 and B355
  - » (73" & over) B44.1/ASME A17.5, ASME 18.1-2017 (Sec 5)

## POWER

- User-friendly and low-maintenance Plug-N-Play wiring technology
  - » For ease of installation, tower and accessories are pre-wired using automotive style connectors (no additional wiring needed), which makes this the preferred lift of installers and technicians
  - » An electrician and/or electrical permits are generally not required (check your local ordinances)
- DC-powered unit (MK Battery)
  - » Off-the-shelf 24V batteries (two each 12V-12Ah sealed)
- On-board smart charger plugs into standard GFI outlet
- Approximately 20 complete, fully loaded cycles on battery power alone

## OPERATION

- Final drive: 1" diameter Hi-lead® drive screw with bronze nut and bronze safety nut
  - » Quiet, smooth ride
  - » High energy efficiency with less drain on batteries and less wear and tear on motor
  - » Lead screw is lubricated with Arctic-rated grease, making it ideal for ambient temperature ranges
- Upper- and lower-limit switches with manual triggers
  - » Waterproof switches will not corrode
- Manual lowering capability (hand crank included)
- Low maintenance

# THE PASSPORT ADVANTAGE

Bracing is required for 120", 144", and 168" VPLs and is available in both back and side configurations. Side bracing is available for straight and turn platforms; back bracing can be used on both platform styles.



Continuous, low-pressure mushroom head control switches (including emergency stop) are easy to use, regardless of motor skills.



High-visibility LED diagnostic indicator lights for easy troubleshooting and reduced service calls.

Multi-positional control box features keyed operation.

A platform gate comes standard on 120", 144", and 168" VPLs. The gate complements the self-actuating entry ramp by providing an additional visual barrier during VPL use.

The gate is installed on the entry ramp side of the platform and its tension hinges can be mounted either left or right for desired gate swing.

Self-actuating 24" entry ramp, which can be assembled on either end of the platform allowing access from either side. When the VPL rises, the ramp folds upward providing a safety measure to help prevent accidental travel off the platform while the VPL is moving.

Undercarriage safety pan with obstruction detector (takes less than 15 lbs. of pressure to stop lift). The VPL will still be operational in the upward direction, but the object or obstruction must be cleared to resume downward travel.



# ADD-ON ACCESSORIES

## CALL-SEND CONTROL

- » Allows additional stations, such as top or bottom of landing, to call the PASSPORT up or down
- » Mushroom-head control switches are easy to use, even with limited motor skills
- » Tower is pre-wired for one call box (splitter is included with additional boxes)



## WIRELESS REMOTE

- » Key fob transmitter allows operation of the PASSPORT from nearby remote locations, including your vehicle or house (splitter included)
- » Can be used with or without the call-send control



## SAFETY PAN WEATHER GUARD

- » Helps keep the safety pan free of debris



## PLATFORM SAFETY RAIL

- » Provides additional stability for lift riders



## INTERLOCK

- » Safety device intended to prevent an existing door from being opened when the lift is in the down position



## PLATFORM GATE

- » Although standard on 120", 144", and 168" VPL sizes, a platform gate can be added to 44", 52", and 72" lifts
- » Features a three-line design with adjustable tension hinges that can be mounted left or right for desired swing



## TOP LANDING GATE

- » Used to control the access between the PASSPORT and your upper landing (porch, deck, etc.) and may be required by your local building codes
- » Features a mechanical interlocking latch with magnetic reed switch that keeps the rider protected and safe from accidental injury and prevents improper operation of the lift



customerservice@ezaccess.com | 1.800.451.1903 | www.ezaccess.com