


FortiGate[®] 2000E

**Next Generation Firewall
Internal Segmentation Firewall
Data Center Firewall and IPS**



The FortiGate 2000E delivers high performance threat protection for mid-sized to large enterprises and service providers, with the flexibility to be deployed at the Internet or cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, industry-leading security efficacy and high throughput of the 2000E keeps your network connected and secure.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Protects against unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking


- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment modes that fit into organizations' evolving network infrastructure requirements with high port density and high-speed interfaces

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces
90 Gbps	11.5 Gbps	9 Gbps	5.4 Gbps	Multiple GE RJ45 and 10 GE SFP+ slots

Refer to specification table for details

DEPLOYMENT



Next Generation Firewall (NGFW)

- Security gateway to the Internet for enterprises
- Enforce security policies with granular control and visibility of users and devices for thousands of discrete applications
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic




Internal Segmentation Firewall (ISFW)

- Segmentation solution for end-to-end protection against threats while meeting compliance requirements
- High port density and accelerated traffic processing capacity, to protect multiple segments without compromising performance
- Deploy transparently and rapidly into existing environments with minimal disruption




Data Center Firewall and IPS (DCFW-IPS)

- High availability, high throughput and low latency firewall for data center edge and core
- High session scale for accommodating large network and user traffic for Internet and cloud-facing data centers
- High-speed interfaces for future-proof connectivity while compact size contributes to greener data centers
- Performance optimized IPS engine to detect and deter latest known and zero day threats




FortiGate 2000E deployment in large campus networks (NGFW, ISFW)



FortiGate 2000E deployment in data center (DCFW-IPS/NGFW, ISFW)

HARDWARE

FortiGate 2000E



Interfaces

1. Console Port
2. USB Port
3. 2x GE RJ45 Management Ports
4. 32x GE RJ45 Ports
5. 6x 10 GE SFP+ Slots

NP Direct

By removing the Internal Switch Fabric, the NP Direct architecture provides direct access to the SPU-NP for the lowest latency forwarding. NGFW deployments require some attention to network design to ensure optimal use of this technology.

Powered by SPU

- Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck



Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

10 GE Connectivity

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 2000E provides high 10 GE port densities, simplifying network designs without relying on additional devices to bridge desired connectivity.

FORTINET SECURITY FABRIC



Security Fabric

The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.


FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next-generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Utilize SPU hardware acceleration to boost security capability performance.

 For more information, please refer to the FortiOS data sheet available at www.fortinet.com


SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet’s solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world’s leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.

FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.

 For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

FORTIGATE 2000E	
Hardware Specifications	
Hardware Accelerated 10 GE SFP+ Slots	6
Hardware Accelerated GE RJ45 Ports	32
GE RJ45 Management / HA Ports	2
USB Ports	1
Console Port	1
Onboard Storage	1x 480 GB SSD
Included Transceivers	2x SFP+ (SR 10GE)
System Performance — Enterprise Traffic Mix	
IPS Throughput ²	11.5 Gbps
NGFW Throughput ^{2,4}	9 Gbps
Threat Protection Throughput ^{2,5}	5.4 Gbps
System Performance	
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	90 / 90 / 60 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	90 / 90 / 60 Gbps
Firewall Latency (64 byte, UDP)	2 µs
Firewall Throughput (Packet per Second)	90 Mpps
Concurrent Sessions (TCP)	20 Million
New Sessions/Second (TCP)	500,000
Firewall Policies	100,000
IPsec VPN Throughput (512 byte) ¹	65 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	20,000
Client-to-Gateway IPsec VPN Tunnels	100,000
SSL-VPN Throughput	6 Gbps
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	10,000
SSL Inspection Throughput (IPS, avg. HTTPS) ³	9.4 Gbps
SSL Inspection CPS (IPS, avg. HTTPS) ³	5,500
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	2 Million
Application Control Throughput (HTTP 64K) ²	20 Gbps
CAPWAP Throughput (1444 byte, UDP)	21 Gbps
Virtual Domains (Default / Maximum)	10 / 500
Maximum Number of Switches Supported	128
Maximum Number of FortiAPs (Total / Tunnel)	4,096 / 1,024
Maximum Number of FortiTokens	5,000
Maximum Number of Registered Endpoints	20,000
High Availability Configurations	Active-Active, Active-Passive, Clustering

FORTIGATE 2000E	
Dimensions	
Height x Width x Length (inches)	3.5 x 17.4 x 21.9
Height x Width x Length (mm)	89 x 442 x 555
Weight	37.0 lbs (16.8 kg)
Form Factor	Rack Mount, 2 RU
Power	
AC Power Supply	100–240V AC, 50–60 Hz
Maximum Current	9A
Power Consumption (Average / Maximum)	280 / 430 W
Heat Dissipation	1,467 BTU/h
Redundant Power Supplies	Yes, Hot swappable
Operating Environment and Certifications	
Operating Temperature	32–104°F (0–40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	10–90% non-condensing
Noise Level	58 dBA
Operating Altitude	Up to 7,400 ft (2,250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.
2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

ORDER INFORMATION

Product	SKU	Description
FortiGate 2000E	FG-2000E	6x 10 GE SFP+ slots, 34x GE RJ45 ports (including 32x ports, 2x management/HA ports), SPU NP6 and CP9 hardware accelerated, 480 GB SSD onboard storage.
Optional Accessories		
10 GE SFP+ transceiver module, short range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ transceiver module, long range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ active direct attach cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Rack mount sliding rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-2000E, FG-2500E, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3815D/-DC and FG-3950B/-DC.
AC power supply	SP-FG2000E-PS	AC power supply for FG-2000E and FG-2500E.



FortiGuard Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiCASB SaaS-only Service ^			•
FortiGuard Industrial Service ^			•
FortiGuard Security Rating Service* ^			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR*, Virus Outbreak Protection* and FortiSandbox Cloud Service*	•	•	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

* Available when running FortiOS 6.0.1 and above ^ With new Q3-2018 SKUs



GLOBAL HEADQUARTERS
Fortinet Inc.
899 KIFER ROAD
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
www.fortinet.com/sales

EMEA SALES OFFICE
905 rue Albert Einstein
06560 Valbonne
France
Tel: +33.4.8987.0500

APAC SALES OFFICE
8 Temasek Boulevard
#12-01 Suntec Tower Three
Singapore 038988
Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE
Sawgrass Lakes Center
13450 W. Sunrise Blvd., Suite 430
Sunrise, FL 33323
United States
Tel: +1.954.368.9990