



# PRODUCT CATALOGUE

2

### SINCE 1986

Eagle Cable GmbH is an owner-operated family business. Our cables have enjoyed great popularity in the hi-fi scene since 1986. Our focus is not only on the German market but also on the worldwide marketing of our products. Our head office is located in Ballrechten-Dottingen in South Baden at the foot of the Southern Black Forest in Markgräflerland. The proximity to the Swiss and French borders reflects our international ambitions.

This flexibility, the high quality standard and the continuously attractive price-performance ratio demonstrate our efforts to serve dealers as a reliable partner. In addition to this, we provide end customers with a durable product that can be used to optimise any hi-fi, video, multimedia or home cinema system.



| Quality Levels & Packaging | 4  |
|----------------------------|----|
| Made in Germany            | 6  |
| High End Deluxe Series     | 8  |
| Deluxe Series              | 16 |
| High Standard Series       | 34 |
| Speaker Cable              | 38 |
| Accessories                | 40 |



## QUALITY LEVELS

Our products are made of first-rate materials and offer optimum performance. And that is also reflected in the quality. With every quality level, from High Standard and Deluxe, right up to our absolute topof-the-range High End Deluxe class, you benefit from finer, more sophisticated and ingenious cable technology. What do you get? More sound. More sharpness. Less loss.

## NEW PACKAGING

The packaging should captivate with a refined look and feel, and a sophisticated design. It accentuates the distinctiveness of the high-quality Eagle Cable accessory products. Its visual design is complemented by the use of the best paper currently available on the market. The inlay is also made entirely of cardboard and thus also contributes to sustainability.







 $\star \star \star \star \star$ HIGH STANDARD For the best entry


DELUXE Our class for the ambitious

 $\star$ 

 $\star \star \star \star \star$ 

HIGH END DELUXE High End Cable - Made in Germany





HIGH END **DELUXE** ★★★★

## MADE IN GERMANY

Made and engineered in Germany is our core philosophy, which is reflected in the Eagle Cable product range. The loudspeaker cables are manufactured at our very own cable factory in Southern Germany and all cables of the quality level High End Deluxe are assembled on our company headquarters in Ballrechten-Dottingen. All products are manufactured according to current directives (such as RoHS, REACH and CE) and are subject to constant quality control. The manufactured cables are characterised by their adherence to a high quality standard. Individual, customised cables and solutions are possible thanks to our tailored products and special assemblies which offer our customers the highest degree of flexibility.



Eagle Cable High End Deluxe Phono Cable





7 .....

#### STEREO AUDIO CABLE | RCA

HIGH END **DELUXE**  $\star \star \star \star \star$ 







The elegant looking HIGH END DELUXE audio cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.



- Symmetrical design
- High Speed copper conductor ٠
- Fine, lacquered 0,10 mm copper wires ٠
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes) •
- Dense, braided shielding made of copper
- PVC coat + textile braid ٠
- Cable diameter 6,5 mm ٠
- Solid, 24k gold-plated full metal connector

| ITEM-NO  | EAN           | QUALITY LEVEL   | CATEGORY     | CONNECTION | LENGTH |
|----------|---------------|-----------------|--------------|------------|--------|
| 10070000 | 4010409065018 | High End Deluxe | Stereo Audio | on spool   |        |
| 10070107 | 4010409051028 | High End Deluxe | Stereo Audio | RCA -RCA   | 0,75m  |
| 10070110 | 4010409051035 | High End Deluxe | Stereo Audio | RCA -RCA   | 1,0m   |
| 10070115 | 4010409051042 | High End Deluxe | Stereo Audio | RCA -RCA   | 1,5m   |


#### STEREO AUDIO CABLE | XLR

# made in **GERMANY**





The elegant looking HIGH END DELUXE audio cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





| ITEM-NO   | EAN           | QUALITY LEVEL   | CATEGORY     | CONNECTION        | LENGTH |
|-----------|---------------|-----------------|--------------|-------------------|--------|
| 100701073 | 4010409051059 | High End Deluxe | Stereo Audio | XLR (m) - XLR (f) | 0,75m  |
| 100701103 | 4010409051066 | High End Deluxe | Stereo Audio | XLR (m) - XLR (f) | 1,0m   |
| 100701153 | 4010409051073 | High End Deluxe | Stereo Audio | XLR (m) - XLR (f) | 1,5m   |

- Symmetrical design •
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires •
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes) •
- Dense, braided shielding made of copper •
- PVC coat + textile braid •
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector





#### SPEAKER CABLE





The HIGH END DELUXE speaker cable, consisting of a 4-fold multicore structure with concentrically arranged copper strands, impresses with its excellent electrical parameters and its attractive design. The arrangement of the wires and the stranded conductors, the high copper content, as well as the PE material in combination with the textile meshwork, ensure a natural and homogeneous reproduction of all frequency ranges.





| ITEM-NO  | EAN           | QUALITY LEVEL   |
|----------|---------------|-----------------|
| 31070000 | 4010409065001 | High End Deluxe |
| 31070030 | 4010409051004 | High End Deluxe |
| 31070031 | 4010409051011 | High End Deluxe |
|          |               |                 |

# HIGH END **DELUXE** $\star \star \star \star$



- 4 x 2,97 mm<sup>2</sup> cross section
- Concentrically stranded copper wires
- Double symmetrical structure
- Double PE insulation around each conductor
- Dense textile meshwork as outer jacket
- 8,5 mm in diameter
- Low inductance and capacitance
- With BFA beryllium copper bananas or

| CATEGORY          | CATEGORY CONNECTION |      |
|-------------------|---------------------|------|
| Speaker Cable     | on spool            |      |
| Lautsprecherkabel | BFA   SW            | 2x3m |
| Lautsprecherkabel | Kabelschuh   SW     | 2x3m |







The elegant looking HIGH END DELUXE phono cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

| ITEM-NO   | EAN           | QUALITY LEVEL   | CATEGORY   | CONNECTION   | LENGTH |
|-----------|---------------|-----------------|------------|--------------|--------|
| 10070315  | 4010409051745 | High End Deluxe | Phonokabel | RCA -RCA     | 1,5m   |
| 100703151 | 4010409051769 | High End Deluxe | Phonokabel | RCA -SME 90° | 1,5m   |

#### DIGITAL CABLE

# made in **GERMANY**





The wave impedance of 75 ohms that is required for a digital cable is guaranteed with the HIGH END DELUXE digital cable due to the complex cable design. In addition, the construction offers optimal protection against external interferences. The solid conductor made of copper is embedded in a foamed PE dielectric and covered and protected with two foils and two shielding braids. High-resolution, digital audio formats can be transported and reproduced precisely and unadulterated. The solid metal connector ensures minimal contact resistance.





| ITEM-NO  | EAN           | QUALITY LEVEL   |
|----------|---------------|-----------------|
| 31370000 | 4010409065025 | High End Deluxe |
| 31370107 | 4010409051080 | High End Deluxe |
| 31370115 | 4010409051097 | High End Deluxe |
| 31370130 | 4010409051707 | High End Deluxe |

# HIGH END **DELUXE** $\star \star \star \star$

- Coaxial structure
- 4-fold shielding
- Solid conductor made of high-purity copper
- Foamed PE insulation
- 75 ohm impedance
- PVC coat + textile braid
- Cable diameter 8,0 mm
- Solid, 24k gold-plated full metal connector
- Cable diameter

| CATEGORY      | CATEGORY CONNECTION                     |   |
|---------------|---|---|
| Digital Cable | on spool                                |   |
| Digitalkabel  | RCA - RCA                               | 0,75m                                   |
| Digitalkabel  | RCA - RCA                               | 1,5m                                    |
| Digitalkabel  | RCA - RCA                               | 3,0m                                    |
|               | ••••••••••••••••••••••••••••••••••••••• | ••••••••••••••••••••••••••••••••••••••• |


HIGH END **DELUXE**  $\star \star \star \star$ 







The elegant looking HIGH END DELUXE subwoofer cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

| ITEM-NO  | EAN           | QUALITY LEVEL   | CATEGORY        | CONNECTION | LENGTH |
|----------|---------------|-----------------|-----------------|------------|--------|
| 10070202 | 4010409051714 | High End Deluxe | Subwoofer-Kabel | RCA -RCA   | 2,0m   |
| 10070203 | 4010409051721 | High End Deluxe | Subwoofer-Kabel | RCA -RCA   | 3,0m   |
| 10070205 | 4010409051738 | High End Deluxe | Subwoofer-Kabel | RCA -RCA   | 5,0m   |





 $\star\star\star\star\star$ 

# ENGINEERED IN GERMANY

The best cable is the one that has the least impact on the playback quality of the hi-fi or video system and transmits the original signal with as little loss as possible. This is our goal when developing and designing our DELUXE series at the company's headquarters in Ballrechte-Dottingen. All cables are manufactured by long-term, experienced partners from all over the world. Of course, the DELUXE cables also meet all guidelines, such as "RoHS", "REACH" or CE. You can also rely on the accuracy of fit and the highest quality standards. Every batch is put through its paces in our in-house test setup.





#### HDMI CABLE




DELUXE  $\star \star \star \star \star$ 

- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 18 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC copper
- High Dynamic Range (HDR)
- ARC | HDCP 2.2 | HD Audio
- 7.5 m to 15 m length incl. Redmere Chip integrated in the connector

This High Speed HDMI cable with Ethernet from the Eagle Cable DELUXE series is compatible with all HD audio formats and has a resolution up to 2160p 4k. The solid data cables are triple-shielded. 24k gold-plated contacts ensure low contact resistance and optimum data transmission. It is suitable, for example, for connecting a Blu-ray player or a game console to a smart TV or projector.





[\_\_\_\_\_ 

HDMI Typ A

HDMI Typ A

| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION          | UNIT  | LENGTH |
|----------|---------------|---------------|---------------------|-------|--------|
| 10012007 | 4010409044709 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 0,75m  |
| 10012015 | 4010409044716 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 1,5m   |
| 10012030 | 4010409044723 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 3,0m   |
| 10012050 | 4010409044730 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 5,0m   |
| 10012075 | 4010409044747 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 7,5m   |
| 10012100 | 4010409044754 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 10,0m  |
| 10012150 | 4010409044761 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 15,0m  |



# EAGLE CABLE



#### HDMI CABLE "PIGGYBACK"



 $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \end{array} \end{array}$ 

DELUXE

 $\star$ 

- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 18 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC copper
- High Dynamic Range (HDR)
- ARC | HDCP 2.2 | HD Audio



| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION          | UNIT  | LENGTH |
|----------|---------------|---------------|---------------------|-------|--------|
| 10011008 | 4010409056757 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 0,8m   |
| 10011016 | 4010409056764 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 1,6m   |
| 10011032 | 4010409056771 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 3,2m   |
| 10011048 | 4010409056788 | Deluxe        | HDMI (A) - HDMI (A) | 1 Stk | 4,8m   |

#### HDMI CABLE | OPTICAL FIBRE



- Full 4K performance up to 100m!
- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 24 Gbps
- ARC (up to 50m)
- High Dynamic Range (HDR)
- HDCP 2.2 | HD Audio

| ITEM-NO   | EAN                                     | QUALITY LEVEL                           | CONNECTION          | UNIT                             | LENGTH |
|-----------|---|---|---------------------|----------------------------------|--------|
| 313241005 | 4010409043306                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 5 m    |
| 313241008 | 4010409043313                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 8 m    |
| 313241010 | 4010409022011                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 10 m   |
| 313241015 | 4010409014405                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 15 m   |
| 313241020 | 4010409014412                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 20 m   |
| 313241030 | 4010409014429                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 30 m   |
| 313241050 | 4010409014436                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 50 m   |
| 313241070 | 4010409014443                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 70 m   |
| 313241100 | 4010409014450                           | Deluxe                                  | HDMI (A) - HDMI (A) | 1 Stk                            | 100 m  |
|           | ••••••••••••••••••••••••••••••••••••••• | ••••••••••••••••••••••••••••••••••••••• |                     | •••••••••••••••••••••••••••••••• |        |


#### HDMI MICRO CABLE | OPTICAL FIBRE

- Full 4K performance up to100m!
- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 24 Gbps | ARC (up to 50m)
- High Dynamic Range (HDR)
- HDCP 2.2 | HD Audio |
- 4mm cable diameter



| 1. |
|----|
|    |

| ITEM-NO    | N-NO EAN QUALITY |        |
|------------|------------------|--------|
| 3132431010 | 4010409099808    | Deluxe |
| 3132431015 | 4010409099815    | Deluxe |
| 3132431020 | 4010409099822    | Deluxe |
| 3132431030 | 4010409099839    | Deluxe |
| 3132431050 | 4010409099846    | Deluxe |
| 3132431070 | 4010409099853    | Deluxe |
| 3132431100 | 4010409099860    | Deluxe |
|            |                  |        |



# $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \end{array}$



| CONNECTION          | UNIT  | LENGTH |
|---------------------|-------|--------|
| HDMI (D) - HDMI (A) | 1 Stk | 10 m   |
| HDMI (D) - HDMI (A) | 1 Stk | 15 m   |
| HDMI (D) - HDMI (A) | 1 Stk | 20 m   |
| HDMI (D) - HDMI (A) | 1 Stk | 30 m   |
| HDMI (D) - HDMI (A) | 1 Stk | 50 m   |
| HDMI (D) - HDMI (A) | 1 Stk | 70 m   |
| HDMI (D) - HDMI (A) | 1 Stk | 100 m  |

#### HDMI 2.1 CABLE 10K | 100M | OPTICAL FIBRE

HDMI cable with professional fibre optic technology. This technology facilitates data rates of up to 48 Gbps on a transmission path of up to 100 m. It therefore supports high-resolution 10K formats with 120 Hz as well as HDR. It is the solution for connecting devices with an HDMI 2.1 interface over great distances. Due to the build-in electronics the cable has a signal direction.

Full HD 1080p 120 Hz 4:4:4 HDR UHD 4K 3840 x 2160p 120 Hz 4:4:4 HDR UHD 4K 4096 x 2160p 120 Hz 4:4:4 HDR UHD 5K 5120 x 2160p 120 Hz 4:4:4 (DSC) UHD 8K 7680 x 4320p 120 Hz 4:4:4 HDR (DSC) UHD 10K 10240 x 4320p 60 Hz 4:4:4 (DSC) UHD 10K 10240 x 4320p 120 Hz 4:2:2 (DSC)  $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \\ \end{array}$ 



| ITEM-NO   | EAN           | UNIT  | LENGTH |
|-----------|---------------|-------|--------|
| 313245001 | 4010409064806 | 1 Stk | lm     |
| 313245002 | 4010409064813 | 1 Stk | 2 m    |
| 313245003 | 4010409064820 | 1 Stk | 3 m    |
| 313245005 | 4010409064837 | 1 Stk | 5 m    |
| 313245008 | 4010409064844 | 1 Stk | 8 m    |
| 313245010 | 4010409064851 | 1 Stk | 10 m   |
| 313245015 | 4010409064868 | 1 Stk | 15 m   |
| 313245020 | 4010409064875 | 1 Stk | 20 m   |
| 313245030 | 4010409064882 | 1 Stk | 30 m   |
| 313245050 | 4010409064899 | 1 Stk | 50 m   |
| 313245070 | 4010409064905 | 1 Stk | 70 m   |
| 313245100 | 4010409064912 | 1 Stk | 100 m  |
|           |               |       |        |







HDMI Typ A

HDMI Typ A

- optical Fiber Technology
- based on HDMI 2.1 specification
- supports 10K | 8K | 4K | Full HD
- supports data rate up to 48 Gbps
- supports HDCP 2.3
- supports EDID
- supports HDR, HDR10 und HDR10+
- supports 4:4:4, 4:2:2 und 4:2:0 Farbunterabtastung
- supports 36 Bit Farbtiefe (3 x 12Bit)
- supports up to 120 Fps
- supports DSC (Display Stream Compression)
- eARC up to 30m | ARC up to 50m
- metal plug
- powered by the HDMI port
- no additional power supply necessary
- signal direction marked
- cable diameter: 4mm
- plug&play
- easy to install
- CE, REACH, RoHS compliant

#### CAT6 NETWORK CABLE



 $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \end{array}$ 

- LAN cable for HD Audio and HD Video streaming
- thick conductor (AWG 24)
- SF-UTP (braided and foil shielding)
- high-purity OFC copper
- Separating cross between the twisted pairs
- 2 fold shielding



| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION  | UNIT    | LENGTH |
|----------|---------------|---------------|-------------|---------|--------|
| 10065000 | 4010409023605 | Deluxe        | Meterware   | 1 Spule | 100m   |
| 10065008 | 4010409009500 | Deluxe        | RJ45 - RJ45 | 1 Stk   | 0,8m   |
| 10065016 | 4010409009517 | Deluxe        | RJ45 - RJ45 | 1 Stk   | 1,6m   |
| 10065032 | 4010409009524 | Deluxe        | RJ45 - RJ45 | 1 Stk   | 3,2m   |
| 10065048 | 4010409009531 | Deluxe        | RJ45 - RJ45 | 1 Stk   | 4,8m   |
| 10065080 | 4010409009548 | Deluxe        | RJ45 - RJ45 | 1 Stk   | 8,0m   |

#### DIGITAL CABLE



 $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \end{array} \end{array}$ 

- 2 fold shielding
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation
- 75 Ohm impedance



| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION | UNIT  | LENGTH |
|----------|---------------|---------------|------------|-------|--------|
| 10030007 | 4010409001023 | Deluxe        | RCA - RCA  | 1 Stk | 0,75m  |
| 10030015 | 4010409001030 | Deluxe        | RCA - RCA  | 1 Stk | 1,5m   |
| 10030030 | 4010409001047 | Deluxe        | RCA - RCA  | 1 Stk | 3,0m   |

#### OPTICAL CABLE

- Nylon conductor for max.conductibilit
- with standardized Toslink plugs
- including 1 piece mini jack adapter
- Plug in a metal housing
- PVC + braided insulation




| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION                      | UNIT  | LENGTH |
|----------|---------------|---------------|---------------------------------|-------|--------|
| 10021007 | 4010409056702 | Deluxe        | TOS-Link - TOS-Link   Mini Plug | 1 Stk | 0,75m  |
| 10021015 | 4010409056719 | Deluxe        | TOS-Link - TOS-Link   Mini Plug | 1 Stk | 1,5m   |
| 10021030 | 4010409056726 | Deluxe        | TOS-Link - TOS-Link   Mini Plug | 1 Stk | 3,0m   |
| 10021050 | 4010409056733 | Deluxe        | TOS-Link - TOS-Link   Mini Plug | 1 Stk | 5,0m   |
| 10021100 | 4010409056740 | Deluxe        | TOS-Link - TOS-Link   Mini Plug | 1 Stk | 10,0m  |









#### AUDIO CABLE

- 2 fold shielding
- coaxial conductor design
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation



| ITEM-NO  | EAN           | QUALITY LEVEL |
|----------|---------------|---------------|
| 10040007 | 4010409001054 | Deluxe        |
| 10040015 | 4010409001061 | Deluxe        |
| 10040030 | 4010409001078 | Deluxe        |

#### Y-SUBWOOFER CABLE

• 2 fold shielding

•

- coaxial conductor design
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation



| ITEM-NO  | EAN           | QUALITY LEVEL |
|----------|---------------|---------------|
| 10041030 | 4010409001085 | Deluxe        |
| 10041050 | 4010409001092 | Deluxe        |
| 10041080 | 4010409001702 | Deluxe        |
| 10041100 | 4010409001719 | Deluxe        |

# $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \end{array}$

DELUXE



| UNIT  | LENGTH         |
|-------|----------------|
| 1 Stk | 0,75m          |
| 1 Stk | 1,5m           |
| 1 Stk | 3,0m           |
|       | 1 Stk<br>1 Stk |



| CO    | NNECTION      | UNIT  | LENGTH |
|-------|---------------|-------|--------|
| Y-Sub | RCA - 2 x RCA | 1 Stk | 3,0m   |
| Y-Sub | RCA - 2 x RCA | 1 Stk | 5,0m   |
| Y-Sub | RCA - 2 x RCA | 1 Stk | 8,0m   |
| Y-Sub | RCA - 2 x RCA | 1 Stk | 10,0m  |
|       |               |       |        |

#### POWER BAR ALU-6



- 6-fold SCHUKO Power Bar
- grounding receptacle socket with child protection

DELUXE

 $\star$ 

- elegant and robust aluminum housingtransparent anodized
- 2,5 mm<sup>2</sup> internal wiring
- protection class IP20
- 1,5m connection cable
- CEE 7/7 angle plug



Stable power supply forms the basis of good quality pictures and sound. A HiFi or Home Cinema system basically reproduces nothing else than modulated household electricity. So this should arrive at the device as constantly as possible. In this case, the mains connection cable is of essential importance. The big challenge for power bars and cords are extreme current peaks. They are caused by the connected devices themselves through the conversion from alternating to direct current. These extreme current peaks cause a whole series of unwanted effects. The Eagle Cable Power Bar ALU 6 is equipped for this demanding task and especially designed for connecting high-end Hifi Audio and Home Cinema systems.



#### FURTHER PRODUCT DATA

- Sockets rotated 90°
- Fixing points at the end caps for wall mounting
- Sockets are examined individually
- equipped with contact protections and socket covers
- CE, ROHS, REACH conform

- 250 V~, 16 A, 50 Hz
- Connection power: max. 3.600 W
- Power cord: H05VV-F 3G 1,5 mm<sup>2</sup>
- Tested according regulations DIN VDE 0620-2-1: 2016-01
- Dimensions: 458 x 65 x 44 mm



| ITEM-NO   | EAN           | QUALITY LEVEL | DESIGNATION      | UNIT  | LENGTH |
|-----------|---------------|---------------|------------------|-------|--------|
| 313633015 | 4010409066428 | Deluxe        | Netzleiste 6-Alu | 1 Stk | 1,5m   |





#### JACK CABLE

 $\begin{array}{c} \text{DELUXE} \\ \star \star \star \star \end{array}$ 

High-quality jack cable with high-density shielding against external interference, e.g. from smartphones or WiFi routers. Suitable for connecting mobile devices such as MP3 players (iPod), smartphones, laptops or Computers etc. to amplifiers or AV receivers. Assembled with slim, yet solid, full-metal plugs with a practical recessed grip. Available as 3.5mm to 3.5mm or 3.5mm to 2 x RCA version.





- flexible AUX jack cable
- 3.5mm -> 3.5mm
- 3.5mm -> 2 x RCA
- high quality processed
- solid metal plug
- black braid jacket gives the cable a subtle, timeless design
- double shielding against external interference

| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION      | UNIT  | LENGTH |
|----------|---------------|---------------|-----------------|-------|--------|
| 10071008 | 4010409056108 | Deluxe        | 3,5mm - 3,5mm   | 1 Stk | 0,8m   |
| 10071016 | 4010409056115 | Deluxe        | 3,5mm - 3,5mm   | 1 Stk | 1,6m   |
| 10071032 | 4010409056122 | Deluxe        | 3,5mm - 3,5mm   | 1 Stk | 3,2m   |
| 10071108 | 4010409056139 | Deluxe        | 3,5mm - 2 x RCA | 1 Stk | 0,8m   |
| 10071116 | 4010409056146 | Deluxe        | 3,5mm - 2 x RCA | 1 Stk | 1,6m   |
| 10071132 | 4010409056153 | Deluxe        | 3,5mm - 2 x RCA | 1 Stk | 3,2m   |



#### ANTENNA CABLE F-PLUG



 developed especially for high-definition HDTV TV formats

DELUXE

 $\star$ 

- suitable for the indoor installation of BK, SAT and cable TV systems.
- 100 dB shielding
- triple shielding



| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION      | UNIT  | LENGTH |
|----------|---------------|---------------|-----------------|-------|--------|
| 10038116 | 4010409017307 | Deluxe        | F-Plug - F-Plug | 1 Stk | 1,6m   |
| 10038132 | 4010409017314 | Deluxe        | F-Plug - F-Plug | 1 Stk | 3,2m   |
| 10038148 | 4010409017321 | Deluxe        | F-Plug - F-Plug | 1 Stk | 4,8m   |

#### ANTENNA CABLE COAX



- developed especially for high-definition HDTV TV formats
- suitable for the indoor installation of BK, SAT and cable TV systems.
- 100 dB shielding
- triple shielding



DELUXE

 $\star \star \star \star \star$ 

| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION          | UNIT  | LENGTH |
|----------|---------------|---------------|---------------------|-------|--------|
| 10038016 | 4010409009029 | Deluxe        | Koax (m) - Koax (f) | 1 Stk | 1,6m   |
| 10038032 | 4010409009012 | Deluxe        | Koax (m) - Koax (f) | 1 Stk | 3,2m   |
| 10038048 | 4010409009005 | Deluxe        | Koax (m) - Koax (f) | 1 Stk | 4,8m   |

#### HIGH-SPEED USB 2.0

- USB-A -> USB-B: suitable for HD (High Definition) audio streaming between e.g. media server and hi-fi system.
- USB-A -> Mini B: for safe and fast transfer of data, e.g. B. between MP3 players, smartphones, hard drives, cameras, camcorders and DVD recorders, TV or computer.
- data transfers up to 480 Mbit / s
- high density shielding



| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION          | UNIT  | LENGTH |
|----------|---------------|---------------|---------------------|-------|--------|
| 10060008 | 4010409056801 | Deluxe        | USB A -> USB B      | 1 Stk | 0,8m   |
| 10060016 | 4010409056818 | Deluxe        | USB A -> USB B      | 1 Stk | 1,6m   |
| 10060032 | 4010409056825 | Deluxe        | USB A -> USB B      | 1 Stk | 3,2m   |
| 10061008 | 4010409056832 | Deluxe        | USB A -> USB Mini B | 1 Stk | 0,8m   |
| 10061016 | 4010409056849 | Deluxe        | USB A -> USB Mini B | 1 Stk | 1,6m   |
| 10061032 | 4010409056856 | Deluxe        | USB A -> USB Mini B | 1 Stk | 3,2m   |





DELUXE

#### HDMI CABLE

ITEM-NO

20010015

20010030

20010050



QUALITY LEVEL

High Standard

High Standard

High Standard

• High Speed HDMI 2.0B\*

• 4k Ultra HD | 4k@50/60 Hz\*

HIGH STANDARD

 $\star \star \star \star \star$ 

LENGTH

1,5m

3,0m

5,0m

HIGH STANDARD

 $\star \star \star \star \star$ 

• 18 Gbps\*

CONNECTION

High Speed | HDMI - HDMI \*

High Speed | HDMI - HDMI \*

Standard | HDMI - HDMI

- High Dynamic Range (HDR)\*
- 2-fold shielding
- ARC | HDCP 2.2 | HD Audio

UNIT

1 Stk

1 Stk

1 Stk

#### DIGITAL CABLE | OPTICAL

- plastic fiber ٠
- PVC insulation ٠
- molded connector ٠
- for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers

| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION           | UNIT  | LENGTH |
|----------|---------------|---------------|----------------------|-------|--------|
| 20030007 | 4010409001788 | High Standard | TOS-Link -> TOS-Link | 1 Stk | 0,75m  |
| 20030015 | 4010409001795 | High Standard | TOS-Link -> TOS-Link | 1 Stk | 1,5m   |
| 20030030 | 4010409002792 | High Standard | TOS-Link -> TOS-Link | 1 Stk | 3,0m   |

#### AUDIO & SUB CABLE

EAN

4010409001733

4010409001740

4010409001757



| ITEM-NO  | EAN           | QUALITY LEVEL                           | CONNECTION                              | UNIT  | LENGTH                             |
|----------|---------------|---|---|-------|------------------------------------|
| 20060007 | 4010409003140 | High Standard                           | Stereo   2 RCA -> 2 RCA                 | 1 Stk | 0,75m                              |
| 20060015 | 4010409003157 | High Standard                           | Stereo   2 RCA -> 2 RCA                 | 1 Stk | 1,5m                               |
|          |               |   |   |       |                                    |
| 20061030 | 4010409003393 | High Standard                           | Y-Sub   RCA -> 2 RCA                    | 1 Stk | 3,0m                               |
| 20061050 | 4010409003171 | High Standard                           | Y-Sub   RCA -> 2 RCA                    | 1 Stk | 5,0m                               |
| •••••    |               |   |   |       |                                    |
| 20062030 | 4010409003188 | High Standard                           | Mono-Sub   RCA -> RCA                   | 1 Stk | 3,0m                               |
| 20062050 | 4010409003195 | High Standard                           | Mono-Sub   RCA -> RCA                   | 1 Stk | 5,0m                               |
| ••••••   | •••••         | ••••••••••••••••••••••••••••••••••••••• | ••••••••••••••••••••••••••••••••••••••• |       | •••••••••••••••••••••••••••••••••• |

#### DIGITAL CABLE | COAX

- foil shielding
- 75 ohm impedance •
- **PVC** insulation •
- molded connector •
- for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers

| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION | UNIT  | LENGTH |
|----------|---------------|---------------|------------|-------|--------|
| 20040007 | 4010409003102 | High Standard | RCA -> RCA | 1 Stk | 0,75m  |
| 20040015 | 4010409003119 | High Standard | RCA -> RCA | 1 Stk | 1,5m   |

#### HIGH STANDARD $\star \star \star \star \star$







### JACK CABLE



- HIGH **STANDARD**
- 3.5mm jack stereo audio cable for connecting mobile devices such as MP3 players (iPod), smartphones, laptops or PCs etc. to amplifiers or AV receivers
- PVC insulation
- molded connector
- available with various connections and adapters

| ITEM-NO  | EAN           | QUALITY LEVEL | CONNECTION                 | UNIT  | LENGTH |
|----------|---------------|---------------|----------------------------|-------|--------|
| 20071008 | 4010409056009 | High Standard | 3,5mm (m) -> 3,5mm (m)     | 1 Stk | 0,8m   |
| 20071016 | 4010409056016 | High Standard | 3,5mm (m) -> 3,5mm (m)     | 1 Stk | 1,6m   |
|          |               |               |                            |       |        |
| 20071116 | 4010409056023 | High Standard | 3,5mm (m) -> 3,5mm (f)     | 1 Stk | 1,6m   |
| 20071132 | 4010409056030 | High Standard | 3,5mm (m) -> 3,5mm (f)     | 1 Stk | 3,2m   |
|          |               |               |                            |       |        |
| 20071208 | 4010409056047 | High Standard | 3,5mm (m) -> 2 x RCA       | 1 Stk | 0,8m   |
| 20071216 | 4010409056054 | High Standard | 3,5mm (m) -> 2 x RCA       | 1 Stk | 1,6m   |
|          | •             |               |                            |       |        |
| 20071308 | 4010409056061 | High Standard | 3,5mm (m) -> 3,5mm (m) 90° | 1 Stk | 0,8m   |
| 20071316 | 4010409002907 | Hiah Standard | 3,5mm (m) -> 3,5mm (m) 90° | 1 Stk | 1.6m   |











#### CALYPSO SPEAKER CABLE





- 3-Flux-twisting
- 0.10 mm copper strands
- with center divider
- colored codation line
- round/round insulation construction

DELUXE

 $\star$   $\star$   $\star$   $\star$   $\star$ 

| ITEM-NO  | EAN           | QUALITY LEVEL | CROSS SECTION      | FARBE       | LENGTH |
|----------|---------------|---------------|--------------------|-------------|--------|
| 31062150 | 4010409621504 | Deluxe        | 1,5mm <sup>2</sup> | Transparent | 180 m  |
| 31062250 | 4010409622501 | Deluxe        | 2,5mm <sup>2</sup> | Transparent | 150 m  |
| 31062400 | 4010409624000 | Deluxe        | 4,0mm <sup>2</sup> | Transparent | 100 m  |



#### SILVERLINE SPEAKER CABLE





- 3x silver plated 0.07 mm copper strand bundle
- 4x 0.07 copper strand bundle
- squared/squared insulation construction

DELUXE

 $\star \star \star \star \star$ 

• colored codation line

| ITEM-NO  | EAN           | QUALITY LEVEL | CROSS SECTION      | FARBE       | LENGTH |
|----------|---------------|---------------|--------------------|-------------|--------|
| 31032250 | 4010409322500 | Deluxe        | 2,5mm <sup>2</sup> | Transparent | 100 m  |
| 31032400 | 4010409324009 | Deluxe        | 2,5mm <sup>2</sup> | Transparent | 100 m  |

#### SPEAKER CABLE



 All HIGH STANDARD speaker cables are made of 0,25mm pure copper strands.

| ITEM-NO  | EAN           | QUALITY LEVEL | CROSS SECTION       | FARBE       | LENGTH |
|----------|---------------|---------------|---------------------|-------------|--------|
| 20031075 | 4010409001115 | High Standard | 0,75mm <sup>2</sup> | Transparent | 400 m  |
| 20063150 | 4010409001139 | High Standard | 1,5mm²              | Transparent | 200 m  |
| 20063156 | 4010409001146 | High Standard | 1,5mm²              | Weiß        | 200 m  |
| 20063250 | 4010409001160 | High Standard | 2,5mm <sup>2</sup>  | Transparent | 150 m  |
| 20063400 | 4010409001856 | High Standard | 4,0mm <sup>2</sup>  | Transparent | 100 m  |

#### SILVER SPEAKER CABLE



 All HIGH STANDARD speaker cables are made of 0,25mm silver plated pure copper strands.

| ITEM-NO  | EAN           | QUALITY LEVEL |
|----------|---------------|---------------|
| 20035150 | 4010409001191 | High Standard |
| 20035250 | 4010409001801 | High Standard |
|          |               |               |

# HIGH **STANDARD**







| CROSS SECTION      | FARBE       | LENGTH |
|--------------------|-------------|--------|
| 1,5mm²             | Transparent | 180 m  |
| 2,5mm <sup>2</sup> | Transparent | 120 m  |

#### D/A-CONVERTER



- 1 x Koax | 1 x TOS Link -> Cinch
- 48kHz | 24Bit
- 100-240VAC bzw. 5V DC

• HDMI A (m) -> HDMI A (f)

EAN

4010409137302

ITEM-NO

30813730

- CE conform | RoHS conform
- 50 x 34 x 40 mm

| ITEM-NO | EAN           | UNIT     |
|---------|---------------|----------|
|         | 4010409043900 | Set of 1 |

• A 180° rotatable HDMI coupling for the angled and space-sa-

behind your flat screens. HDMI (m) -> HDMI (f).

ving connection of an HDMI cable. Ideal in confined spaces

UNIT

1 pc

#### HDMI ANGLED ADAPTER



#### HDMI - DVI ADAPTER



- The HDMI <-> DVI adapter can integrate cables and compo-
- nents with DVI standard in HDMI systems.
- HDMI (f) > DVI -D (m) Adapter\*
- DVI -D (f) > HDMI (m) Adapter\*\*

| ITEM-NO    | EAN           | UNIT |
|------------|---------------|------|
| 3081371*   | 4010409013712 | 1 pc |
| 30813711** | 4010409137111 | 1 pc |

#### BANANA HOLLOW TIP



- up to 6mm<sup>2</sup>
- largest possible contact surface
- for crimping or soldering
- 24k gold-plated contacts

| ITEM-NO | EAN           | UNIT |
|---------|---------------|------|
| 308149  | 4010409001498 | bulk |

#### BFA BANANA

- up to 6.0mm<sup>2</sup>
- made of beryllium copper
- screw connection
- 24k gold-plated contacts
- black / red coded

| ITEM-NO | EAN           | UNIT     |
|---------|---------------|----------|
| 3081691 | 4010409016911 | Set of 4 |
| 308169  | 4010409001696 | bulk     |

#### **BANANA LUXUS**

- up to 16mm<sup>2</sup>
- screw connection
- 24k gold-plated contacts
- black / red coding

| ITEM-NO  | EAN           | UNIT     |
|----------|---------------|----------|
| 30825700 | 4010409257000 | Set of 4 |

#### KABELSCHUH KS-60

- up to 6mm<sup>2</sup>
- 6/8 mm spade
- 24k gold-plated contacts
- black / red coding

| ITEM-NO   | EAN           | UNIT  |
|-----------|---------------|-------|
| 308007896 | 4010409043917 | Black |
|           | 4010409043924 | Red   |

#### PROTECTION PLATES

• Protection plates made of full metal to protect sensitive floors or shelves.

| ITEM-NO  | ITEM-NO EAN   |          |
|----------|---------------|----------|
| 30851140 | 4010409511409 | Set of 4 |











# OUR LOCATION

Our company headquarters in Ballrechten-Dottingen: The pretty wine-growing village of Ballrechten-Dottingen is idyllically embedded in a gently undulating landscape near the 440 metre-high Castellberg hill. Wine-growing has been a tradition here for over a thousand years, which of course can also be tasted in the quality of its products. If you happen to visit us, you should also experience the southern flair of this landscape along the historical dry-stone walls, by light-flooded downy oak groves or vast orchards, in addition to the joys of the local hospitality. Far-reaching views over the Rhine plains to the Vosges mountain range will accompany you on your adventures. It is not for nothing that Markgräflerland is also called the Tuscany of Germany.







Eagle Cable GmbH Untermatten 12-14 79282 Ballrechten-Dottingen Germany

Tel.: +49 (7634) 69 77 1 Fax: +49 (7634) 69 74 1 E-Mail: fly@eagle-cable.de www.eagle-cable.de Prices are net (per unit), EX WORKS Ballrechten-Dottingen. By irrevocable Letter of Credit confirmed by a German bank due at sight or Funds by Eagle Cable. Errors expected, prices are subject to change! Warning: The information contained in this price-list is intended for the use of the individual or entity to which it is adressed only, and contains information that are privileged, confidential and exempt from disclosure and applicable law. If you are not the intendend receipant you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited.

