



PRODUCT CATALOGUE

APRIL 2021





SINCE 1986

Eagle Cable GmbH is an owner-operated family business. Our cables have enjoyed great popularity in the hi-fi scene since 1986. Our focus is not only on the German market but also on the worldwide marketing of our products. Our head office is located in Ball-rechten-Dottingen in South Baden at the foot of the Southern Black Forest in Markgräflerland. The proximity to the Swiss and French borders reflects our international ambitions.

This flexibility, the high quality standard and the continuously attractive price-performance ratio demonstrate our efforts to serve dealers as a reliable partner. In addition to this, we provide end customers with a durable product that can be used to optimise any hi-fi, video, multimedia or home cinema system.

Quality Levels & Packaging	4
Nade in Germany	6
ligh End Deluxe Series	8
eluxe Series	16
ligh Standard Series	34
peaker Cable	38
	10



NEW PACKAGING

The packaging should captivate with a refined look and feel, and a sophisticated design. It accentuates the distinctiveness of the high-quality Eagle Cable accessory products. Its visual design is complemented by the use of the best paper currently available on the market. The inlay is also made entirely of cardboard and thus also contributes to sustainability.





QUALITY LEVELS

Our products are made of first-rate materials and offer optimum performance. And that is also reflected in the quality. With every quality level, from High Standard and Deluxe, right up to our absolute top-of-the-range High End Deluxe class, you benefit from finer, more sophisticated and ingenious cable technology. What do you get? More sound. More sharpness. Less loss.





HIGH **STANDARD**

For the best entry



DELUXE


Our class for the ambitious



HIGH END **DELUXE**

High End Cable - Made in Germany





HIGH END **DELUXE**★★★★

MADE IN GERMANY

Made and engineered in Germany is our core philosophy, which is reflected in the Eagle Cable product range. The loudspeaker cables are manufactured at our very own cable factory in Southern Germany and all cables of the quality level High End Deluxe are assembled on our company headquarters in Ballrechten-Dottingen. All products are manufactured according to current directives (such as RoHS, REACH and CE) and are subject to constant quality control. The manufactured cables are characterised by their adherence to a high quality standard. Individual, customised cables and solutions are possible thanks to our tailored products and special assemblies which offer our customers the highest degree of flexibility.









Eagle Cable High End Deluxe Phono Cable

STEREO AUDIO CABLE | RCA







The elegant looking HIGH END DELUXE audio cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH
10070000	4010409065018	High End Deluxe	Stereo Audio	on spool	
10070107	4010409051028	High End Deluxe	Stereo Audio	RCA -RCA	0,75m
10070110	4010409051035	High End Deluxe	Stereo Audio	RCA -RCA	1,0m
10070115	4010409051042	High End Deluxe	Stereo Audio	RCA -RCA	1,5m

STEREO AUDIO CABLE | XLR










The elegant looking HIGH END DELUXE audio cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector


ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH
100701073	4010409051059	High End Deluxe	Stereo Audio	XLR (m) - XLR (f)	0,75m
100701103	4010409051066	High End Deluxe	Stereo Audio	XLR (m) - XLR (f)	1,0m
100701153	4010409051073	High End Deluxe	Stereo Audio	XLR (m) - XLR (f)	1,5m








The HIGH END DELUXE speaker cable, consisting of a 4-fold multicore structure with concentrically arranged copper strands, impresses with its excellent electrical parameters and its attractive design. The arrangement of the wires and the stranded conductors, the high copper content, as well as the PE material in combination with the textile meshwork, ensure a natural and homogeneous reproduction of all frequency ranges.





- 4 x 2,97 mm² cross section
- Concentrically stranded copper wires
- Double symmetrical structure
- Double PE insulation around each conductor
- Dense textile meshwork as outer jacket
- 8,5 mm in diameter
- Low inductance and capacitance
- With BFA beryllium copper bananas or

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH
31070000	4010409065001	High End Deluxe	Speaker Cable	on spool	
31070030	4010409051004	High End Deluxe	Lautsprecherkabel	BFA SW	2x3m
31070031	4010409051011	High End Deluxe	Lautsprecherkabel	Kabelschuh SW	2x3m

PHONO CABLE







The elegant looking HIGH END DELUXE phono cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

NGTH
1,5m
1,5m
 1,5m









The wave impedance of 75 ohms that is required for a digital cable is guaranteed with the HIGH END DELUXE digital cable due to the complex cable design. In addition, the construction offers optimal protection against external interferences. The solid conductor made of copper is embedded in a foamed PE dielectric and covered and protected with two foils and two shielding braids. High-resolution, digital audio formats can be transported and reproduced precisely and unadulterated. The solid metal connector ensures minimal contact resistance.





- Coaxial structure
- 4-fold shielding
- Solid conductor made of high-purity copper
- Foamed PE insulation
- 75 ohm impedance
- PVC coat + textile braid
- Cable diameter 8,0 mm
- Solid, 24k gold-plated full metal connector
- Cable diameter

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH
31370000	4010409065025	High End Deluxe	Digital Cable	on spool	
31370107	4010409051080	High End Deluxe	Digitalkabel	RCA - RCA	0,75m
31370115	4010409051097	High End Deluxe	Digitalkabel	RCA - RCA	1,5m
31370130	4010409051707	High End Deluxe	Digitalkabel	RCA - RCA	3,0m

SUBWOOFER CABLE







The elegant looking HIGH END DELUXE subwoofer cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.






- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH
10070202	4010409051714	High End Deluxe	Subwoofer-Kabel	RCA -RCA	2,0m
10070203	4010409051721	High End Deluxe	Subwoofer-Kabel	RCA -RCA	3,0m
10070205	4010409051738	High End Deluxe	Subwoofer-Kabel	RCA -RCA	5,0m









DELUXE **

ENGINEERED IN GERMANY

The best cable is the one that has the least impact on the playback quality of the hi-fi or video system and transmits the original signal with as little loss as possible. This is our goal when developing and designing our DELUXE series at the company's headquarters in Ballrechte-Dottingen. All cables are manufactured by long-term, experienced partners from all over the world. Of course, the DELUXE cables also meet all guidelines, such as "RoHS", "REACH" or CE. You can also rely on the accuracy of fit and the highest quality standards. Every batch is put through its paces in our in-house test setup.







HDMI CABLE






- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 18 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC copper
- High Dynamic Range (HDR)
- ARC | HDCP 2.2 | HD Audio
- 7.5 m to 15 m length incl. Redmere Chip integrated in the connector

This High Speed HDMI cable with Ethernet from the Eagle Cable DELUXE series is compatible with all HD audio formats and has a resolution up to 2160p 4k. The solid data cables are triple-shielded. 24k gold-plated contacts ensure low contact resistance and optimum data transmission. It is suitable, for example, for connecting a Blu-ray player or a game console to a smart TV or projector.










HDMI Typ A

HDMI Typ A

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10012007	4010409044709	Deluxe	HDMI (A) - HDMI (A)	1 Stk	0,75m
10012015	4010409044716	Deluxe	HDMI (A) - HDMI (A)	1 Stk	1,5m
10012030	4010409044723	Deluxe	HDMI (A) - HDMI (A)	1 Stk	3,0m
10012050	4010409044730	Deluxe	HDMI (A) - HDMI (A)	1 Stk	5,0m
10012075	4010409044747	Deluxe	HDMI (A) - HDMI (A)	1 Stk	7,5m
10012100	4010409044754	Deluxe	HDMI (A) - HDMI (A)	1 Stk	10,0m
10012150	4010409044761	Deluxe	HDMI (A) - HDMI (A)	1 Stk	15,0m



HDMI CABLE "PIGGYBACK"





- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 18 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC copper
- High Dynamic Range (HDR)
- ARC | HDCP 2.2 | HD Audio





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10011008	4010409056757	Deluxe	HDMI (A) - HDMI (A)	1 Stk	0,8m
10011016	4010409056764	Deluxe	HDMI (A) - HDMI (A)	1 Stk	1,6m
10011032	4010409056771	Deluxe	HDMI (A) - HDMI (A)	1 Stk	3,2m
10011048	4010409056788	Deluxe	HDMI (A) - HDMI (A)	1 Stk	4,8m

HDMI CABLE | OPTICAL FIBRE









- Full 4K performance up to 100m!
- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 24 Gbps
- ARC (up to 50m)
- High Dynamic Range (HDR)
- HDCP 2.2 | HD Audio

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
313241005	4010409043306	Deluxe	HDMI (A) - HDMI (A)	1 Stk	5 m
313241008	4010409043313	Deluxe	HDMI (A) - HDMI (A)	1 Stk	8 m
313241010	4010409022011	Deluxe	HDMI (A) - HDMI (A)	1 Stk	10 m
313241015	4010409014405	Deluxe	HDMI (A) - HDMI (A)	1 Stk	15 m
313241020	4010409014412	Deluxe	HDMI (A) - HDMI (A)	1 Stk	20 m
313241030	4010409014429	Deluxe	HDMI (A) - HDMI (A)	1 Stk	30 m
313241050	4010409014436	Deluxe	HDMI (A) - HDMI (A)	1 Stk	50 m
313241070	4010409014443	Deluxe	HDMI (A) - HDMI (A)	1 Stk	70 m
313241100	4010409014450	Deluxe	HDMI (A) - HDMI (A)	1 Stk	100 m

HDMI MICRO CABLE | OPTICAL FIBRE




- Full 4K performance up to 100m!
- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 24 Gbps | ARC (up to 50m)
- High Dynamic Range (HDR)
- HDCP 2.2 | HD Audio |
- 4mm cable diameter







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
3132431010	4010409099808	Deluxe	HDMI (D) - HDMI (A)	1 Stk	10 m
3132431015	4010409099815	Deluxe	HDMI (D) - HDMI (A)	1 Stk	15 m
3132431020	4010409099822	Deluxe	HDMI (D) - HDMI (A)	1 Stk	20 m
3132431030	4010409099839	Deluxe	HDMI (D) - HDMI (A)	1 Stk	30 m
3132431050	4010409099846	Deluxe	HDMI (D) - HDMI (A)	1 Stk	50 m
3132431070	4010409099853	Deluxe	HDMI (D) - HDMI (A)	1 Stk	<i>7</i> 0 m
3132431100	4010409099860	Deluxe	HDMI (D) - HDMI (A)	1 Stk	100 m





HDMI 2.1 CABLE 10K | 100M | OPTICAL FIBRE

DELUXE ★ ★ ★ ★

HDMI cable with professional fibre optic technology. This technology facilitates data rates of up to 48 Gbps on a transmission path of up to 100 m. It therefore supports high-resolution 10K formats with 120 Hz as well as HDR. It is the solution for connecting devices with an HDMI 2.1 interface over great distances. Due to the build-in electronics the cable has a signal direction.

Full HD 1080p 120 Hz 4:4:4 HDR

UHD 4K 3840 x 2160p 120 Hz 4:4:4 HDR

UHD 4K 4096 x 2160p 120 Hz 4:4:4 HDR

UHD 5K 5120 x 2160p 120 Hz 4:4:4 (DSC)

UHD 8K 7680 x 4320p 120 Hz 4:4:4 HDR (DSC)

UHD 10K 10240 x 4320p 60 Hz 4:4:4 (DSC)


UHD 10K 10240 x 4320p 120 Hz 4:2:2 (DSC)





ITEM-NO	EAN	UNIT	LENGTH
313245001	4010409064806	1 Stk	1 m
313245002	4010409064813	1 Stk	2 m
313245003	4010409064820	1 Stk	3 m
313245005	401040906483 <i>7</i>	1 Stk	5 m
313245008	4010409064844	1 Stk	8 m
313245010	4010409064851	1 Stk	10 m
313245015	4010409064868	1 Stk	15 m
313245020	4010409064875	1 Stk	20 m
313245030	4010409064882	1 Stk	30 m
313245050	4010409064899	1 Stk	50 m
313245070	4010409064905	1 Stk	70 m
313245100	4010409064912	1 Stk	100 m





- optical Fiber Technology
- based on HDMI 2.1 specification
- supports 10K | 8K | 4K | Full HD
- supports data rate up to 48 Gbps
- supports HDCP 2.3
- supports EDID
- supports HDR, HDR10 und HDR10+
- supports 4:4:4, 4:2:2 und 4:2:0 Farbunterabtastung
- supports 36 Bit Farbtiefe (3 x 12Bit)
- supports up to 120 Fps
- supports DSC (Display Stream Compression)
- eARC up to 30m | ARC up to 50m
- metal plug
- powered by the HDMI port
- no additional power supply necessary
- signal direction marked
- cable diameter: 4mm
- plug&play
- easy to install
- CE, REACH, RoHS compliant

CAT6 NETWORK CABLE





- LAN cable for HD Audio and HD Video streaming
- thick conductor (AWG 24)
- SF-UTP (braided and foil shielding)
- high-purity OFC copper
- Separating cross between the twisted pairs
- 2 fold shielding





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10065000	4010409023605	Deluxe	Meterware	1 Spule	100m
10065008	4010409009500	Deluxe	RJ45 - RJ45	1 Stk	0,8m
10065016	4010409009517	Deluxe	RJ45 - RJ45	1 Stk	1,6m
10065032	4010409009524	Deluxe	RJ45 - RJ45	1 Stk	3,2m
10065048	4010409009531	Deluxe	RJ45 - RJ45	1 Stk	4,8m
10065080	4010409009548	Deluxe	RJ45 - RJ45	1 Stk	8,0m

DIGITAL CABLE





- 2 fold shielding
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation
- 75 Ohm impedance





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10030007	4010409001023	Deluxe	RCA - RCA	1 Stk	0,75m
10030015	4010409001030	Deluxe	RCA - RCA	1 Stk	1,5m
10030030	4010409001047	Deluxe	RCA - RCA	1 Stk	3,0m



- Nylon conductor for max.conductibilit
- with standardized Toslink plugs
- including 1 piece mini jack adapter
- Plug in a metal housing
- PVC + braided insulation







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10021007	4010409056702	Deluxe	TOS-Link - TOS-Link Mini Plug	1 Stk	0,75m
10021015	4010409056719	Deluxe	TOS-Link - TOS-Link Mini Plug	1 Stk	1,5m
10021030	4010409056726	Deluxe	TOS-Link - TOS-Link Mini Plug	1 Stk	3,0m
10021050	4010409056733	Deluxe	TOS-Link - TOS-Link Mini Plug	1 Stk	5,0m
10021100	4010409056740	Deluxe	TOS-Link - TOS-Link Mini Plug	1 Stk	10,0m





AUDIO CABLE



- 2 fold shielding
- coaxial conductor design
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10040007	4010409001054	Deluxe	Stereo RCA - RCA	1 Stk	0,75m
10040015	4010409001061	Deluxe	Stereo RCA - RCA	1 Stk	1,5m
10040030	4010409001078	Deluxe	Stereo RCA - RCA	1 Stk	3,0m

Y-SUBWOOFER CABLE



- 2 fold shielding
- coaxial conductor design
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10041030	4010409001085	Deluxe	Y-Sub RCA - 2 x RCA	1 Stk	3,0m
10041050	4010409001092	Deluxe	Y-Sub RCA - 2 x RCA	1 Stk	5,0m
10041080	4010409001702	Deluxe	Y-Sub RCA - 2 x RCA	1 Stk	8,0m
10041100	4010409001719	Deluxe	Y-Sub RCA - 2 x RCA	1 Stk	10,0m





- 6-fold SCHUKO Power Bar
- grounding receptacle socket with child protection
- elegant and robust aluminum housingtransparent anodized
- 2,5 mm² internal wiring
- protection class IP20
- 1,5m connection cable
- CEE 7/7 angle plug



Stable power supply forms the basis of good quality pictures and sound. A HiFi or Home Cinema system basically reproduces nothing else than modulated household electricity. So this should arrive at the device as constantly as possible. In this case, the mains connection cable is of essential importance. The big challenge for power bars and cords are extreme current peaks. They are caused by the connected devices themselves through the conversion from alternating to direct current. These extreme current peaks cause a whole series of unwanted effects. The Eagle Cable Power Bar ALU 6 is equipped for this demanding task and especially designed for connecting high-end Hifi Audio and Home Cinema systems.





- Sockets rotated 90°
- Fixing points at the end caps for wall mounting
- Sockets are examined individually
- equipped with contact protections and socket covers
- CE, ROHS, REACH conform



- 250 V~, 16 A, 50 Hz
- Connection power: max. 3.600 W
- Power cord: H05VV-F 3G 1,5 mm²
- Tested according regulations DIN VDE 0620-2-1: 2016-01
- Dimensions: 458 x 65 x 44 mm

ITEM-NO	EAN	QUALITY LEVEL	DESIGNATION	UNIT	LENGTH
313633015	4010409066428	Deluxe	Netzleiste 6-Alu	1 Stk	1,5m





JACK CABLE

DELUXE★★★★

High-quality jack cable with high-density shielding against external interference, e.g. from smartphones or WiFi routers. Suitable for connecting mobile devices such as MP3 players (iPod), smartphones, laptops or Computers etc. to amplifiers or AV receivers. Assembled with slim, yet solid, full-metal plugs with a practical recessed grip. Available as $3.5 \, \text{mm}$ to $3.5 \, \text{mm}$ or $3.5 \, \text{mm}$ to $2 \times RCA$ version.







ITEM-NO	EAN	QUALITY LEVEL	co	
10071008	4010409056108	Deluxe	3,5	

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10071008	4010409056108	Deluxe	3,5mm - 3,5mm	1 Stk	0,8m
10071016	4010409056115	Deluxe	3,5mm - 3,5mm	1 Stk	1,6m
10071032	4010409056122	Deluxe	3,5mm - 3,5mm	1 Stk	3,2m
10071108	4010409056139	Deluxe	3,5mm - 2 x RCA	1 Stk	0,8m
10071116	4010409056146	Deluxe	3,5mm - 2 x RCA	1 Stk	1,6m
10071132	4010409056153	Deluxe	3,5mm - 2 x RCA	1 Stk	3,2m





- developed especially for high-definition HDTV TV formats
- suitable for the indoor installation of BK, SAT and cable TV systems.
- 100 dB shielding
- triple shielding





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10038116	4010409017307	Deluxe	F-Plug - F-Plug	1 Stk	1,6m
10038132	4010409017314	Deluxe	F-Plug - F-Plug	1 Stk	3,2m
10038148	4010409017321	Deluxe	F-Plug - F-Plug	1 Stk	4,8m

ANTENNA CABLE COAX





- developed especially for high-definition HDTV TV formats
- suitable for the indoor installation of BK, SAT and cable TV systems.
- 100 dB shielding
- triple shielding



ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10038016	4010409009029	Deluxe	Koax (m) - Koax (f)	1 Stk	1,6m
10038032	4010409009012	Deluxe	Koax (m) - Koax (f)	1 Stk	3,2m
10038048	4010409009005	Deluxe	Koax (m) - Koax (f)	1 Stk	4,8m



- USB-A -> USB-B: suitable for HD (High Definition) audio streaming between e.g. media server and hi-fi system.
- USB-A -> Mini B: for safe and fast transfer of data, e.g. B. between MP3 players, smartphones, hard drives, cameras, camcorders and DVD recorders, TV or computer.
- data transfers up to 480 Mbit / s
- high density shielding













ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
10060008	4010409056801	Deluxe	USB A -> USB B	1 Stk	0,8m
10060016	4010409056818	Deluxe	USB A -> USB B	1 Stk	1,6m
10060032	4010409056825	Deluxe	USB A -> USB B	1 Stk	3,2m
10061008	4010409056832	Deluxe	USB A -> USB Mini B	1 Stk	0,8m
10061016	4010409056849	Deluxe	USB A -> USB Mini B	1 Stk	1,6m
10061032	4010409056856	Deluxe	USB A -> USB Mini B	1 Stk	3,2m



HIGH STANDARD

HDMI CABLE





- High Speed HDMI 2.0B*
- 4k Ultra HD | 4k@50/60 Hz*
- 18 Gbps*
- High Dynamic Range (HDR)*
- 2-fold shielding
- ARC | HDCP 2.2 | HD Audio

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
20010015	4010409001733	High Standard	High Speed HDMI - HDMI *	1 Stk	1,5m
20010030	4010409001740	High Standard	High Speed HDMI - HDMI *	1 Stk	3,0m
20010050	4010409001757	High Standard	Standard HDMI - HDMI	1 Stk	5,0m

AUDIO & SUB CABLE









- 2-fold shielding | tinned
- symmetrical construction
- **PVC** insulation
- molded connector



ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
20060007	4010409003140	High Standard	Stereo 2 RCA -> 2 RCA	1 Stk	0,75m
20060015	40104090031 <i>57</i>	High Standard	Stereo 2 RCA -> 2 RCA	1 Stk	1,5m
20061030	4010409003393	High Standard	Y-Sub RCA -> 2 RCA	1 Stk	3,0m
20061050	4010409003171	High Standard	Y-Sub RCA -> 2 RCA	1 Stk	5,0m
20062030	4010409003188	High Standard	Mono-Sub RCA -> RCA	1 Stk	3,0m
20062050	4010409003195	High Standard	Mono-Sub RCA -> RCA	1 Stk	5,0m

HIGH **STANDARD**

DIGITAL CABLE | OPTICAL

- plastic fiber
- PVC insulation
- molded connector
- for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers



ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
20030007	4010409001788	High Standard	TOS-Link -> TOS-Link	1 Stk	0,75m
20030015	4010409001795	High Standard	TOS-Link -> TOS-Link	1 Stk	1,5m
20030030	4010409002792	High Standard	TOS-Link -> TOS-Link	1 Stk	3,0m

DIGITAL CABLE | COAX





- foil shielding
- 75 ohm impedance
- PVC insulation
- molded connector
- for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers



ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
20040007	4010409003102	High Standard	RCA -> RCA	1 Stk	0,75m
20040015	4010409003119	High Standard	RCA -> RCA	1 Stk	1,5m

JACK CABLE





- 3.5mm jack stereo audio cable for connecting mobile devices such as MP3 players
 (iPod), smartphones, laptops or PCs etc. to
 amplifiers or AV receivers
- PVC insulation
- molded connector
- available with various connections and adapters

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH
20071008	4010409056009	High Standard	3,5mm (m) -> 3,5mm (m)	1 Stk	0,8m
20071016	4010409056016	High Standard	3,5mm (m) -> 3,5mm (m)	1 Stk	1,6m
20071116	4010409056023	High Standard	3,5mm (m) -> 3,5mm (f)	1 Stk	1,6m
20071132	4010409056030	High Standard	3,5mm (m) -> 3,5mm (f)	1 Stk	3,2m
20071208	4010409056047	High Standard	3,5mm (m) -> 2 x RCA	1 Stk	0,8m
20071216	4010409056054	High Standard	3,5mm (m) -> 2 x RCA	1 Stk	1,6m
20071308	4010409056061	High Standard	3,5mm (m) -> 3,5mm (m) 90°	1 S t k	0,8m
20071316	4010409002907	High Standard	3,5mm (m) -> 3,5mm (m) 90°	1 Stk	1,6m









CALYPSO SPEAKER CABLE







- 3-Flux-twisting
- 0.10 mm copper strands
- with center divider
- colored codation line
- round/round insulation construction

ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	FARBE	LENGTH
31062150	4010409621504	Deluxe	1,5mm²	Transparent	180 m
31062250	4010409622501	Deluxe	$2,5\mathrm{mm}^2$	Transparent	150 m
31062400	4010409624000	Deluxe	4,0mm²	Transparent	100 m







SILVERLINE SPEAKER CABLE







- 3x silver plated 0.07 mm copper strand bundle
- 4x 0.07 copper strand bundle
- squared/squared insulation construction
- colored codation line

ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	FARBE	LENGTH
31032250	4010409322500	Deluxe	2,5mm ²	Transparent	100 m
31032400	4010409324009	Deluxe	4,0mm ²	Transparent	100 m





 All HIGH STANDARD speaker cables are made of 0,25mm pure copper strands.



ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	FARBE	LENGTH
20031075	4010409001115	High Standard	0,75mm²	Transparent	400 m
	······	· 		····	
20063150	4010409001139	High Standard	1,5mm²	Transparent	200 m
20063156	4010409001146	High Standard	1,5mm²	Weiß	200 m
20063250	4010409001160	High Standard	2,5mm ²	Transparent	150 m
20063400	4010409001856	High Standard	4.0mm²	Transparent	100 m
20063400	4010409001856	High Standard	4,0mm ²	Transparent	100 m

SILVER SPEAKER CABLE





 All HIGH STANDARD speaker cables are made of 0,25mm silver plated pure copper strands.



ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	FARBE	LENGTH
20035150	4010409001191	High Standard	1,5mm²	Transparent	180 m
20035250	4010409001801	High Standard	2,5mm²	Transparent	120 m

D/A-CONVERTER



- 1 x Koax | 1 x TOS Link -> Cinch
- 48kHz | 24Bit
- 100-240VAC bzw. 5V DC
- CE conform | RoHS conform
- 50 x 34 x 40 mm

ITEM-NO	EAN	UNIT
30838042	4010409043900	Set of 1

HDMI ANGLED ADAPTER



- A 180° rotatable HDMI coupling for the angled and space-saving connection of an HDMI cable. Ideal in confined spaces behind your flat screens. HDMI (m) -> HDMI (f).
- HDMI A (m) -> HDMI A (f)

ITEM-NO	EAN	UNIT
30813730	4010409137302	1 pc

HDMI - DVI ADAPTER



- The HDMI <-> DVI adapter can integrate cables and components with DVI standard in HDMI systems.
- HDMI (f) > DVI -D (m) Adapter*
- DVI -D (f) > HDMI (m) Adapter**

ITEM-NO	EAN	UNIT
3081371*	4010409013712	1 pc
30813711**	4010409137111	1 pc

BANANA HOLLOW TIP



- up to 6mm²
- largest possible contact surface
- for crimping or soldering
- 24k gold-plated contacts

ITEM-NO	EAN	UNIT
308149	4010409001498	bulk

BFA BANANA

- up to 6.0mm²
- made of beryllium copper
- screw connection
- 24k gold-plated contacts
- black / red coded

ITEM-NO	EAN	UNIT
3081691	4010409016911	Set of 4
308169	4010409001696	bulk



BANANA LUXUS

- up to 16mm²
- screw connection
- 24k gold-plated contacts
- black / red coding

ITEM-NO	EAN	UNIT
30825700	4010409257000	Set of 4



KABELSCHUH KS-60


- up to 6mm²
- 6/8 mm spade
- 24k gold-plated contacts
- black / red coding

ITEM-NO	EAN	UNIT
00000, 0,0	4010409043917	Black
308007897	4010409043924	Red



PROTECTION PLATES

 Protection plates made of full metal to protect sensitive floors or shelves.







OUR LOCATION

Our company headquarters in Ballrechten-Dottingen: The pretty wine-growing village of Ballrechten-Dottingen is idyllically embedded in a gently undulating landscape near the 440 metre-high Castell-berg hill. Wine-growing has been a tradition here for over a thousand years, which of course can also be tasted in the quality of its products. If you happen to visit us, you should also experience the southern flair of this landscape along the historical dry-stone walls, by light-flooded downy oak groves or vast orchards, in addition to the joys of the local hospitality. Far-reaching views over the Rhine plains to the Vosges mountain range will accompany you on your adventures. It is not for nothing that Markgräflerland is also called the Tuscany of Germany.









EAGLE CABLE

Eagle Cable GmbH Untermatten 12-14 79282 Ballrechten-Dottingen Germany

Tel.: +49 (7634) 69 77 1 Fax: +49 (7634) 69 74 1 E-Mail: fly@eagle-cable.de www.eagle-cable.de Prices are net (per unit), EX WORKS Ballrechten-Dottingen. By irrevocable Letter of Credit confirmed by a German bank due at sight or Funds by Eagle Cable. Errors expected, prices are subject to change! Warning: The information contained in this price-list is intended for the use of the individual or entity to which it is adressed only, and contains information that are privileged, confidential and exempt from disclosure and applicable law. If you are not the intendend receipant you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited.

